



VALIANT

SPORT RANGE

BUNGE JUMP



VALIANT



TECHNICAL SPECIFICATIONS

| | |
|-------------------------------|-------|
| CE Category | C |
| Length overall (m) | 5.01 |
| Inside length (m) | 3.99 |
| Beam overall (m) | 2.48 |
| Inside beam (m) | 1.28 |
| Tube diameter (bow/stern)(cm) | 47-57 |
| Separate chambers | 5 |

| | |
|---|------|
| Maximum number of persons | 8 |
| Maximum load (excluding engine weight) (kg) | 720 |
| Hull weight (excluding engine) | 285* |
| Recommended engine power (hp) | 50 |
| Maximum engine power (hp) | 60 |
| Maximum engine weight (kg) | 180 |
| Engine shaft length | Long |

* Stated weight excludes console, seat and any accessories

EQUIPMENTS

Standard

- Analogic Fuel Gauge (Ø 52 mm)
- Anchor Locker
- Attwood Automatic electric bilge pump
- Transom bathing ladder
- Battery box + Battery Switch
- Blower for Tank Storage
- SPORT 7 centre console
- Electric Fuel Shut off Valve
- Fibreglass bow platform with bow roller
- Fireport for extinguisher
- Analogic flagship instrumentation
- Internal Lifelines
- Lifting D-rings
- Double leaning post LP7 Ø 30 mm
- Mechanical steering
- Moulded handles
- Navigation lights with 360° white light
- Overpressure valves (Hypalon™ only)
- Plastic Fuel Tank
- Dark grey 1100 Dtex PVC tube
- Stainless steel handrail on console
- "Selva" Steering wheel
- Switchboard (with 6 fuses)
- Top Mount Remote Control
- Windshield

Options

- Bench / locker BS7
- Carry-all Bag for Leaning-Post
- Compass
- Bench cover
- Console cover
- Diving tank rack
- Diving Ladder
- CR/CSM Tube - Military Grey (ORCA 1100 Dtex)
- Marine Entertainment Fusion System
- Stainless steel rod holder
- Stainless steel roll bar
- Single Jockey Seat JS 100
- Ski Mast (adjustable)
- VHF + antenna

500 SPORT



SPORT 7 centre console




SPORT 7 centre console +
"Selva" Steering wheel



Double leaning post LP7



Fibreglass Bow Roller



Stainless steel roll bar

Brunswick Marine in EMEA is continuously improving its product design, construction and equipment.
Non-binding pictures. Photos may show optional equipment (please consult your dealer).

Powered by
MERCURY

VALIANT



TECHNICAL SPECIFICATIONS

| | |
|-------------------------------|-------|
| CE Category | C |
| Length overall (m) | 5.34 |
| Inside length (m) | 4.18 |
| Beam overall (m) | 2.50 |
| Inside beam (m) | 1.28 |
| Tube diameter (bow/stern)(cm) | 47-57 |
| Separate chambers | 5 |

| | |
|---|------|
| Maximum number of persons | 9 |
| Maximum load (excluding engine weight) (kg) | 810 |
| Hull weight (excluding engine) | 310* |
| Recommended engine power (hp) | 90 |
| Maximum engine power (hp) | 120 |
| Maximum engine weight (kg) | 200 |
| Engine shaft length | Long |

* Stated weight excludes console, seat and any accessories

EQUIPMENTS

Standard

- Anchor Locker
- Atwood Automatic electric bilge pump
- Transom bathing ladder
- Battery box + Battery Switch
- Blower for Tank Storage
- SPORT 7 centre console
- Electric Fuel Shut off Valve
- Fibreglass bow platform with bow roller
- Fireport for extinguisher
- Hydraulic Steering
- Internal Lifelines
- Lifting D-rings
- Double leaning post LP7 Ø 30 mm
- Moulded handles
- Navigation lights with 360° white light
- Overpressure valves (Hypalon™ only)
- Plastic Fuel Tank
- Dark grey 1100 Dtex PVC tube
- SmartCraft SC 1000 Tacho & Speedo
- Stainless steel handrail on console
- "Selva" Steering wheel
- Switchboard (with 6 fuses)
- Top Mount Remote Control
- Windshield

Options

- Bench / locker BS7
- Carry-all Bag for Leaning-Post
- Compass
- Bench cover
- Console cover
- Diving tank rack
- Diving Ladder
- CR/CSM Tube - Military Grey (ORCA 1100 Dtex)
- Marine Entertainment Fusion System
- Stainless steel rod holder
- Stainless steel roll bar
- Single Jockey Seat JS 100
- Ski Mast (adjustable)
- VHF + antenna

550 SPORT




VHF Standard Horizon (option)



SPORT 7 centre console



Bench / Locker BS7 (option)



Double leaning post LP7 Ø 30 mm




Bench / locker BS7 (option)

Brunswick Marine in EMEA is continuously improving its product design, construction and equipment. Non-binding pictures. Photos may show optional equipment (please consult your dealer).

Powered by
MERCURY

VALIANT



TECHNICAL SPECIFICATIONS

| | |
|-------------------------------|-------|
| CE Category | C |
| Length overall (m) | 5.83 |
| Inside length (m) | 4.67 |
| Beam overall (m) | 2.48 |
| Inside beam (m) | 1.28 |
| Tube diameter (bow/stern)(cm) | 47-60 |
| Separate chambers | 5 |

| | |
|---|------|
| Maximum number of persons | 10 |
| Maximum load (excluding engine weight) (kg) | 900 |
| Hull weight (excluding engine) | 310* |
| Recommended engine power (hp) | 115 |
| Maximum engine power (hp) | 150 |
| Maximum engine weight (kg) | 240 |
| Engine shaft length | Long |

* Stated weight excludes console, seat and any accessories

EQUIPMENTS

Standard

- Anchor Locker
- Attwood Automatic electric bilge pump
- Transom bathing ladder
- Battery box + Battery Switch
- Blower for Tank Storage
- Center Console SPORT 9
- Electric Fuel Shut off Valve
- Fibreglass bow platform with bow roller
- Fireport for extinguisher
- Hydraulic Steering
- Internal Lifelines
- Lifting D-rings
- LP 9 - Double fibreglass leaning post
- Moulded handles
- Navigation lights with 360° white light
- Overpressure valves [Hypalon™ only]
- Dark grey 1100 Dtex PVC tube
- SmartCraft SC 1000 Tacho & Speedo
- Stainless Steel Fuel Tank
- Stainless steel handrail on console
- "Selva" Steering wheel
- Switchboard (with 6 fuses)
- Top Mount Remote Control
- Windshield

Options

- Underdeck storage with aluminium hatch
- Bench / locker BS7
- Fishing combo (Fish well + 6 rod holders)
- Compass
- Bench cover
- Console cover
- Cover for Leaning-post
- Diving tank rack
- Diving Ladder
- CR/CSM Tube - Military Grey (ORCA 1100 Dtex)
- Fish well with recycling pump
- Marine Entertainment Fusion System
- Stainless steel rod holder
- Stainless steel roll bar
- Single Jockey Seat JS 100
- Ski Mast (adjustable)
- VHF + antenna

580 SPORT



Center Console SPORT 9




LP 9 - Double fibreglass leaning post



Center console
SPORT 7



Side handles for leaning-post




Bench / Locker BS 7

Brunswick Marine in EMEA is continuously improving its product design, construction and equipment.
Non-binding pictures. Photos may show optional equipment (please consult your dealer).

Powered by
MERCURY

VALIANT



TECHNICAL SPECIFICATIONS

| | | | |
|-------------------------------|---------|---|------|
| CE Category | C or B* | Maximum number of persons | 13 |
| Length overall (m) | 6.30 | Maximum load (excluding engine weight) (kg) | 1170 |
| Inside length (m) | 5.17 | Hull weight (excluding engine) | 502 |
| Beam overall (m) | 2.50 | Recommended engine power (hp) | 115 |
| Inside beam (m) | 1.30 | Maximum engine power (hp) | 150 |
| Tube diameter (bow/stern)(cm) | 47-60 | Maximum engine weight (kg) | 245 |
| Separate chambers | 5 | Engine shaft length | XL |

EQUIPMENTS

Standard

- Anchor Locker
- Attwood Automatic electric bilge pump
- Transom bathing ladder
- Battery box + Battery Switch
- Blower for Tank Storage
- Center Console SPORT 9
- Electric Fuel Shut off Valve
- Fibreglass bow platform with bow roller
- Fireport for extinguisher
- Hydraulic Steering
- Internal Lifelines
- Lifting D-rings
- LP 9 - Double fibreglass leaning post
- Moulded handles
- Navigation lights with 360° white light
- Overpressure valves [Hypalon™ only]
- Dark grey 1100 Dtex PVC tube
- SmartCraft SC 1000 Tacho & Speedo
- Stainless Steel Fuel Tank
- Stainless steel handrail on console
- "Selva" Steering wheel
- Switchboard (with 6 fuses)
- Top Mount Remote Control
- Windshield

Options

- Underdeck storage with aluminium hatch
- Bench / locker BS7
- Fishing combo (Fish well + 6 rod holders)
- Compass
- Bench cover
- Console cover
- Cover for Leaning-post
- Diving tank rack
- Diving Ladder
- Hypalon Tube Military Grey (ORCA 1670 Dtx)
- Fish well with recycling pump
- Marine Entertainment Fusion System
- Stainless steel rod holder
- Stainless steel roll bar
- Single Jockey Seat JS 100
- Ski Mast (adjustable)
- VHF + antenna

630 SPORT



Center Console SPORT 9




LP 9 - Double fiberglass leaning post



LP 9 - Double fiberglass leaning post with Bench / locker BS7 (option)



Large storage in the bench seat BS7 (option)



Underdeck storage with aluminium hatch



VHF + Antenna

Brunswick Marine in EMEA is continuously improving its product design, construction and equipment. Non-binding pictures. Photos may show optional equipment (please consult your dealer).



VALIANT



TECHNICAL SPECIFICATIONS

| | |
|-------------------------------|-------|
| CE Category | C |
| Length overall (m) | 5.34 |
| Inside length (m) | 4.18 |
| Beam overall (m) | 2.50 |
| Inside beam (m) | 1.28 |
| Tube diameter (bow/stern)(cm) | 47-57 |
| Separate chambers | 5 |

| | |
|---|------|
| Maximum number of persons | 9 |
| Maximum load (excluding engine weight) (kg) | 810 |
| Hull weight (excluding engine) | 350* |
| Recommended engine power (hp) | 90 |
| Maximum engine power (hp) | 120 |
| Maximum engine weight (kg) | 200 |
| Engine shaft length | Long |

* Stated weight excludes console, seat and any accessories

EQUIPMENTS

Standard

- Analogic Fuel Gauge (Ø 52 mm)
- Anchor Locker
- Attwood Automatic electric bilge pump
- Transom bathing ladder
- Battery box + Battery Switch
- Blower for Tank Storage
- Electric Fuel Shut off Valve
- Fireport for extinguisher
- Analogic flagship instrumentation
- Internal Lifelines
- Jockey Console SPORT 200
- Lifting D-rings
- Mechanical steering
- Moulded handles
- PVC moulded cleat for mooring
- Navigation lights with 360° white light
- Plastic Fuel Tank
- Dark grey 1100 Dtex PVC tube
- Side Mount Remote Control with cables
- Stainless steel handrail on console
- "Selva" Steering wheel
- Windshield

Options

- Compass
- Console cover
- Stainless steel roll bar
- Switchboard (with 6 fuses)

550 SPORT

SAILING SCHOOL



"Selva" Steering wheel



Large catwalk



Jockey Console SPORT 200

Brunswick Marine in EMEA is continuously improving its product design, construction and equipment. Non-binding pictures. Photos may show optional equipment (please consult your dealer).



VALIANT



TECHNICAL SPECIFICATIONS

| | |
|-------------------------------|---------|
| CE Category | C or B* |
| Length overall (m) | 6.30 |
| Inside length (m) | 5.17 |
| Beam overall (m) | 2.50 |
| Inside beam (m) | 1.30 |
| Tube diameter (bow/stern)(cm) | 47-60 |
| Separate chambers | 5 |

| | |
|---|-------|
| Maximum number of persons | 13 |
| Maximum load (excluding engine weight) (kg) | 1170 |
| Hull weight (excluding engine) | 600** |
| Recommended engine power (hp) | |
| Maximum engine power (hp) | 150 |
| Maximum engine weight (kg) | 245 |
| Engine shaft length | XL |

* On request

** Stated weight excludes console, seat and any accessories

EQUIPMENTS

Standard

- Anchor Locker
- Attwood Automatic electric bilge pump
- Transom bathing ladder
- Battery box + Battery Switch
- Blower for Tank Storage
- SPORT S9 centre console
- Electric Fuel Shut off Valve
- Fibreglass bow platform with bow roller
- Fireport for extinguisher
- Hydraulic Steering
- "Black Carbon" 1670 Dtex CR/CSM (Hypalon™) tube
- Internal Lifelines
- Lifting D-rings
- LP 9 - Double fibreglass leaning post
- Moulded handles
- Navigation lights with 360° white light
- Overpressure valves (Hypalon™ only)
- SmartCraft SC 1000 Tacho & Speedo
- Stainless Steel Fuel Tank
- Stainless steel handrail on console
- Steering Wheel "CARBON"
- Switchboard (with 6 fuses)
- Top Mount Remote Control
- Windshield

Options

- Underdeck storage with aluminium hatch
- Bench / locker BS7
- Fishing combo (Fish well + 6 rod holders)
- Compass
- Console cover
- Cover for Leaning-post
- Diving tank rack
- Diving Ladder
- Fish well with recycling pump
- Marine Entertainment Fusion System
- Stainless steel rod holder
- Stainless steel roll bar
- Single Jockey Seat JS 100
- Ski Mast (adjustable)
- VHF + antenna

630 SPORT

BLACK CARBON



SPORT S9 centre console



Fibreglass bow platform with bow roller



Transom bathing ladder



SPORT S9 centre console

Brunswick Marine in EMEA is continuously improving its product design, construction and equipment. Non-binding pictures. Photos may show optional equipment (please consult your dealer).

Powered by
MERCURY

VALIANT



TECHNICAL SPECIFICATIONS

| | |
|-------------------------------|---------|
| CE Category | C or B* |
| Length overall (m) | 6.62 |
| Inside length (m) | 5.53 |
| Beam overall (m) | 2.70 |
| Inside beam (m) | 1.55 |
| Tube diameter (bow/stern)(cm) | 50-61 |
| Separate chambers | 5 |

| | |
|---|----------|
| Maximum number of persons | 13 |
| Maximum load (excluding engine weight) (kg) | 1170 |
| Hull weight (excluding engine) | 911** |
| Recommended engine power (hp) | 200 |
| Maximum engine power (hp) | 230 |
| Maximum engine weight (kp) | 370 |
| Engine shaft length | 1XXL-2XL |

* On request
** Stated weight excludes console, seat and any accessories

EQUIPMENTS

Standard

- Anchor Locker
- Attwood Automatic electric bilge pump
- Transom bathing ladder
- Battery box + Battery Switch
- Blower for Tank Storage
- SPORT S11 centre console
- Electric Fuel Shut off Valve
- Fibreglass bow platform with bow roller
- Fireport for extinguisher
- Hydraulic Steering
- "Black Carbon" 1670 Dtex CR/CSM (Hypalon™) tube
- Internal Lifelines
- Lifting D-rings
- LP 11 - Double fibreglass leaning post
- Moulded handles
- Navigation lights with 360° white light
- Overpressure valves (Hypalon™ only)
- SmartCraft SC 1000 Tacho & Speedo
- Stainless Steel Fuel Tank 260 l
- Stainless steel handrail on console
- Steering Wheel "CARBON"
- Switchboard (with 6 fuses)
- Top Mount Remote Control
- Windshield

Options

- Underdeck storage with aluminium hatch
- BS 9 - Bench seat with backrest
- Fishing combo (Fish well + 6 rod holders)
- Compass
- Console cover
- Cover for Leaning-post
- Diving tank rack
- Diving Ladder
- Fish well with recycling pump
- Marine Entertainment Fusion System
- Stainless steel rod holder
- Stainless steel roll bar
- Single Jockey Seat JS 100
- Ski Mast (adjustable)
- VHF + antenna

690 SPORT

BLACK CARBON



SPORT S11 centre console



LP 11 - Double fibreglass leaning post
(Underdeck storage with aluminium hatch)



BS 9 - Bench seat with backrest



Fibreglass bow platform
with bow roller



V Hull

Brunswick Marine in EMEA is continuously improving its product design, construction and equipment.
Non-binding pictures. Photos may show optional equipment (please consult your dealer).

Powered by
MERCURY

VALIANT



TECHNICAL SPECIFICATIONS

| | |
|-------------------------------|---------|
| CE Category | C or B* |
| Length overall (m) | 7.36 |
| Inside length (m) | 5.87 |
| Beam overall (m) | 2.91 |
| Inside beam (m) | 1.78 |
| Tube diameter (bow/stern)(cm) | 56 |
| Separate chambers | 7 |

| | |
|---|----------|
| Maximum number of persons | 22 |
| Maximum load (excluding engine weight) (kg) | 1980 |
| Hull weight (excluding engine) | 915** |
| Recommended engine power (hp) | 250 |
| Maximum engine power (hp) | 300 |
| Maximum engine weight (kp) | 495 |
| Engine shaft length | 1XXL-2XL |

*On request
** Stated weight excludes console, seat and any accessories

EQUIPMENTS

Standard

- Anchor Locker
- Attwood Automatic electric bilge pump
- Transom bathing ladder
- Battery box + Battery Switch
- Blower for Tank Storage
- SPORT S11 centre console
- Electric Fuel Shut off Valve
- Fibreglass bow platform with bow roller
- Fireport for extinguisher
- Hydraulic Steering
- "Black Carbon" 1670 Dtex CR/CSM (Hypalon™) tube
- Internal Lifelines
- Lifting D-rings
- LP 11 - Double fibreglass leaning post
- Moulded handles
- Navigation lights with 360° white light
- Overpressure valves (Hypalon™ only)
- SmartCraft SC 1000 Tacho & Speedo
- Stainless Steel Fuel Tank 500 l
- Stainless steel handrail on console
- Steering Wheel "CARBON"
- Switchboard (with 6 fuses)
- Top Mount Remote Control
- Windshield

Options

- Underdeck storage with aluminium hatch
- BS 11 - Bench with Backrest
- Fishing combo (Fish well + 6 rod holders)
- Compass
- Console cover
- Cover for Leaning-post
- Diving tank rack
- Diving Ladder
- Integrated Livewell with Pum
- Marine Entertainment Fusion System
- Stainless steel rod holder
- Stainless steel roll bar
- Single Jockey Seat JS 100
- Ski Mast (adjustable)
- VHF + antenna

750 SPORT

BLACK CARBON



SPORT S11 centre console




Large catwalk



Diving Ladder



Frontable seat



Reinforced bow cleat



Adjustable diving tank rack
(4 to 6)

Brunswick Marine in EMEA is continuously improving its product design, construction and equipment.
Non-binding pictures. Photos may show optional equipment (please consult your dealer).

Powered by
MERCURY



TECHNICAL SPECIFICATIONS

| MODELS | CE CATEGORY | MAX. PERSON CAPACITY | Length OVERALL (m) | Length Inside (m) | BEAM OVERALL (m) | BEAM INSIDE (m) | TUBE DIAMETER (cm) | NUMBER OF CHAMBERS |
|---------------------------|-------------|----------------------|--------------------|-------------------|------------------|-----------------|--------------------|--------------------|
| SPORT 470 | C | 8 | 4,71 | 3,6 | 2,15 | 1 | 41-57 | 5 |
| SPORT 500 | C | 8 | 5,01 | 3,99 | 2,48 | 1,28 | 47-57 | 5 |
| SPORT 550 | C | 9 | 5,34 | 4,18 | 2,5 | 1,28 | 47-57 | 5 |
| SPORT 580 | C | 10 | 5,83 | 4,67 | 2,48 | 1,3 | 47-60 | 5 |
| SPORT 630 | C/B* | 13 | 6,3 | 5,17 | 2,5 | 1,3 | 47-60 | 5 |
| SPORT 690 | C/B* | 13 | 6,62 | 5,53 | 2,7 | 1,55 | 50-61 | 5 |
| SPORT 750 | C/B* | 22 | 7,36 | 5,87 | 2,91 | 1,78 | 56 | 7 |
| SAILING SCHOOL 470 | C | 8 | 4,71 | 3,6 | 2,15 | 1 | 41-57 | 5 |
| SAILING SCHOOL 500 | C | 8 | 5,01 | 3,99 | 2,48 | 1,28 | 47-57 | 5 |
| SAILING SCHOOL 550 | C | 9 | 5,34 | 4,18 | 2,5 | 1,28 | 47-57 | 5 |
| BLACK CARBON 630 | C/B* | 13 | 6,3 | 5,17 | 2,5 | 1,3 | 47-60 | 5 |
| BLACK CARBON 690 | C/B* | 13 | 6,62 | 5,53 | 2,7 | 1,55 | 50-61 | 5 |
| BLACK CARBON 750 | C/B* | 22 | 7,36 | 5,87 | 2,91 | 1,78 | 56 | 7 |

*Catégorie B sur demande (cf. RCD2)

All VALIANT boats are fully assembled and equipped in our factory, from installing the main accessories, console and leaning post to fitting all of the engine components such as gauges, remote control unit, mechanical or hydraulic steering (depending on model), cables, etc.

| | HULL WEIGHT without Engine & Accessories | BOAT WEIGHT with Engine | MAX. ENGINE WEGHT (Kg) | MAX. LOAD CAPACITY without Engine (people + goods in kg) | MAX. BOAT WEIGHT (kg) | Recommended engine power (hp) | MAX. ENGINE POWER | ENGINE SHAFT TYPE | FUEL TANK CAPACITY (l) | FUEL TANK MATERIAL |
|--|--|-------------------------|------------------------|--|-----------------------|-------------------------------|-------------------|-------------------|------------------------|--------------------|
| | 213 | 333 | 120 | 720 | 1117 | 30 | 50 | L | - | Not included |
| | 285 | 465 | 180 | 720 | 1478 | 50 | 60 | L | 95 | Polyethylene |
| | 360 | 560 | 200 | 810 | 1674 | 80 | 120 | L | 95 | Polyethylene |
| | 400 | 640 | 240 | 900 | 1922 | 115 | 150 | XL | 115 | Stainless steel |
| | 600 | 845 | 245 | 1170 | 2390 | 150 | 150 | XL | 140 | Stainless steel |
| | 911 | 1281 | 370 | 1170 | 3146 | 200 | 230 | 1 XXL - 2 XL | 230 | Stainless steel |
| | 915 | 1410 | 495 | 1980 | 4655 | 250 | 300 | 1 XXL - 2 XL | 500 | Stainless steel |
| | 213 | 333 | 120 | 720 | 1117 | 30 | 50 | L | - | Not included |
| | 285 | 465 | 180 | 720 | 1478 | 50 | 60 | L | 95 | Polyethylene |
| | 360 | 560 | 200 | 810 | 1674 | 80 | 120 | L | 95 | Polyethylene |
| | 600 | 845 | 245 | 1170 | 2390 | 150 | 150 | XL | 140 | Stainless steel |
| | 911 | 1281 | 370 | 1170 | 3146 | 200 | 230 | 1 XXL - 2 XL | 230 | Stainless steel |
| | 915 | 1410 | 495 | 1980 | 4655 | 250 | 300 | 1 XXL - 2 XL | 500 | Stainless steel |



We take particular care over the electrical and mechanical installation, which forms part of the standard of the equipment on VALIANT craft, meaning that it is identical on every boat, providing consumers with guaranteed quality and reliability. It's one of the things that set us apart.

VALIANT



© 2019 Brunswick Marine in EMEA. All Rights Reserved. GB - Printed in Belgium. Part # : 9M0102160



The quality system of Brunswick Marine in EMEA is ISO 9001:2008 certified

Brunswick Marine in EMEA continuously explores means to improve the products it designs, manufactures and distributes. Every effort is made to produce sales and service literature which is current. Changes to specifications of engines, boats and accessories are ongoing. This brochure should not be regarded as a precise guide to the latest specifications. This brochure is also not an offer for sales of any particular engine, boat or accessory. Distributors and dealers are not agents of Brunswick Marine in EMEA or one of its affiliates and they have no authority to bind Brunswick Marine in EMEA by any express undertaking or representation, including but not limited to representations of product, sales, applications or service nature. Not all products are available in all countries and some are available only in limited quantities. Some products shown in this catalogue are equipped with optional accessories.

Please see your local dealer.